

Easifold Outdoor Rollaway Table Tennis Table Assembly Instructions



PARTS LIST








- 1. TABLE TOP WEATHER PROOF 1525×1370×14MM 2 NOS.
- 2. END FRAME PIPE -1485×29×19MM 2 NOS.
- 3. SIDE FRAME PIPE 1330×29×19MM 4 NOS.
- 4. INNER FRAME PIPE 1230×29×19MM 2 NOS.
- 5. INNER LEG -1370×500×45×25MM 2 NOS.
- 6. OUTER LEG 940×710×45×25MM 2 NOS.
- 7. LONG BRACE SUPPORT 665×25×7MM 4 NOS.
- 8. BACK SUPPORT PIPE 1720×25MM SQ 2 NOS.
- 9. BACK SUPPORT PIPE 800×25MM SQ 4 NOS.
- 10. WHEEL ASSEMBLY- $500 \times 230 \times 45 \times 25 \text{MM}$ 4 NOS.
- 11. SET OF 8 WHEELS 75 MM WITH 2 LOCK WHEELS
- 12. BRACKETS FOR OUTER/INNER LEG 75×28MM 16 NOS.
- 13. BRACKETS FOR FRAME PIPE 38MM SQ 32 NOS.
- 14. BRACKETS FOR SIDE LOCK 75×19MM 4NOS.
- 15. BOLTS FOR OUTER/INNER LEG 62×7.5MM 8 NOS.
- 16. BOLTS FOR LONG BRACE SUPPORT FIXED TO OUTER/INNER LEG 75×7.5 6 NOS.
- 17. BOLTS FOR SIDE LOCK ATTACHED TO OUTER LEG 88×6MM WITH NUT WASHER AND BHOGLI 2NOS.

- 18. BOLTS FOR SIDE LOCK ATTACHED TO BRACKET 31×6MM 2 NOS.
- 19. DOME NUT 10MM- 8 NOS.
- 20. OUTER CORNER 40MM 4 NOS.
- 21. LEVELLERS 45×25MM CAPSULE 4 NOS.
- 22. CENTRE LOCK 2 NOS.
- 23. SIDE LOCK 2 NOS.
- 24. PLASTIC CAPS FOR INNER FRAME PIPE 29×19MM 8 NOS.
- 25. WHEEL ASSEMBLY CAP 45×25MM 8 NOS.
- 26. SCREW CAPS 70 NOS.
- 27. NET POST SET 1 NOS.
- 28. SPARE NET 1 NOS.
- 29. BOLTS TO ATTACHED WHEEL ASSEMBLY WITH INNER LEG 62×7.5MM 8 NOS.
- 30. SCREW FOR BRACKETS ON TOP & FRAME 6/95
- 31. SCREW FOR OUTER CORNER 6/13-12 NOS.
- 32. SPANNER 7.5/6MM 2 NOS.



P-32 - 7.5/6 MM - QTY. - 2

P-10 - 500×230×45×25 MM - QTY. - 4

ADULT ASSEMBLY REQUIRED

PLEASE READ THE SAFETY INSTRUCTIONS AT THE BOTTOM OF PAGE- 4

STEP - 1







CAREFULLY LIFT THE TABLE TOP HALF TO ATTACH WHEEL ASSEMBLY (P10) WITH INNER LEG (P5) USING NUT & BOLT 62×7.5 AND TIGHTEN IT WITH THE HELP OF TWO SPANNERS.



STEP-2





SLIGHTLY PULL OUT THE OUTER LEGS (P6)& PUSH OPEN THE TABLE SLIGHTLY BY OPENING CENTRE LOCK (P22).

STEP-3





NOW SLIGHTLY PULL OUT THE SIDE LOCK (P23) & SLOWLY BRING DOWN THE TABLE

STEP- 4 REPEAT THE SAME FOR THE 2ND HALF OF THE TABLE AS IN STEP- 1, 2, & 3

STEP-5



ATTACH POSTS TO THE LEFT AND RIGHT SIDE OF THE TABLE.

STEP-6



PLACE NET ONTO POSTS, FEED STRING THROUGH GROOVES.

ADJUST TENSION OF THE NET WITH THE PLASTIC STRIP

<u>STEP-7</u> ADJUST THE HEIGHT REQUIRED WITH THE HELP OF LEVELLERS (P21) ATTACHED ON ALL 4 OUTER LEGS (P6).

YOUR TABLE IS NOW READY FOR PLAY STORING THE TABLE

STEP-1







PULL OUT THE SIDE LOCK (P23) TO LIFT THE TABLE ON THE WHEELS. MAKE SURE THAT LOCK (P22) IS LOCKED PROPERLY FOR STORAGE

STEP- 2 REPEAT THE SAME FOR THE 2ND HALF.

<u>Safety Instructions:</u> Children below 14 years should not assemble the table. When lowering each half of the table top, make sure that the outer legs P6 are pulled gently outwards from the underside of the table, so far as they can go. Failure to do this may result in injury or damage to the table. This table is suitable for indoor & outdoor use.

Make sure that the wheel brakes are off when moving the table and are on when the table is stored or in the play position. Always cover the table when it is not in use.